



**ADDENDUM TO  
APPLICATION and PERMIT FOR  
ONSITE SEWAGE TREATMENT and DISPOSAL FACILITIES**

To be completed by the professional land surveyor/engineer.

**PART 1** The purpose of this questionnaire is to ascertain site conditions that would affect the approval and location of the septic tank system.

The answers must reflect conditions not only on the subject property, but also on adjacent properties.

1. When the survey was conducted, was the subject property in its natural state or had fill been brought in?

Natural \_\_\_ Filled \_\_\_

2. Do any of the surrounding lots have a building existing or under construction? If so, indicate in which direction of the subject property.

N. \_\_\_ S. \_\_\_ E. \_\_\_ W. \_\_\_

3. Did you observe any wet areas?

Yes \_\_\_ No \_\_\_ If yes, the area of inundation and the elevation of water level must be shown on the plot plan.

4. Did you observe the presence of marsh areas, wetland vegetation, or other site conditions that would indicate seasonal or prolonged wetness, even if the area is dry now?

Yes \_\_\_ No \_\_\_ If yes, such areas must be shown on the site plan.

5. Does the plot plan indicate all natural or man-made features that would influence the location of the septic tank system, including, but not limited to, existing and proposed wells, septic tanks, surface waters, wet or potentially wet areas and ponds?

Yes \_\_\_ No \_\_\_ If no, the application is incomplete.

I CERTIFY that the above information is correct to the best of my knowledge and belief.

NAME \_\_\_\_\_

(Please Print)

(Signature/Date)



---

**ADDENDUM TO**  
**APPLICATION and PERMIT FOR**  
**ONSITE SEWAGE TREATMENT and DISPOSAL FACILITIES**  
(REVISED 7/1/98)

**PART II**      **To be completed by the property owner/authorized representative.**

1.      **What is the source of the fill on the property?**

Offsite \_\_\_                      Onsite \_\_\_

If onsite, it is required that the location of the pond so created be shown on the plot plan by the professional land surveyor/engineer.

2.      **Have you reviewed the information being submitted with your application? (plot plan, soil log and PART 1 of this questionnaire).                      Yes \_\_\_ No \_\_\_**

If no, you must do so prior to the issuance of the permit.

\_\_\_\_\_

I acknowledge that as the property owner, I am responsible for the information submitted with the application and understand that the permit is subject to revocation if information is incorrect. I have read the permit conditions and agree to abide by them.

APPLICANT \_\_\_\_\_

(Please Print)

Signature of property owner or duly  
\*authorized representative

**\*ATTACH LETTER OF AUTHORIZATION**

**See reverse side for permit conditions**



**PART II (Continued)**

**PERMIT CONDITIONS**

1. **The size of the drainfield is based on the severely and/or moderately limited soil being replaced with slightly limited soils in the area of the proposed drainfield, as prescribed in Chapter 64E-6, F.A.C.**
2. **The soils used for replacement of fill in the area of the drainfield shall be classified by a certified soils laboratory using the U.S.D.A. soil classification method and the results submitted to the Palm Beach County Health Department (PBCHD) prior to installation of the drainfield.**
3. **The grading of the mound/filled system shall be in accordance with Section 64E-6.009(3)(f). When a mound/filled system is not sodded concurrent with its construction, the system shall be seeded with grass and a layer of hay or similar cover shall be placed to prevent erosion. Construction approval shall not be granted by the PBCHD until the system has been stabilized.**
4. **The drainfield invert elevation has been established primarily on the basis of wettest season water table and the finished grade elevation as stated in the application; there are sometimes, however, other considerations on establishing the invert elevation, i.e. information from the South Florida Water Management District and/or the local drainage district, road and grade elevations in the vicinity of the subject property and field observations. Should the permittee disagree with the established elevation and wish to have it changed, information must be submitted to substantiate the request.**
5. **No deviation shall be made in the design/location of the system without prior approval from this office. If a pond is constructed at a later date, then a revised plan must be submitted to this office for approval.**
6. **If there are extreme differences in grade elevations at or in the vicinity of the subject property, it would be the permittee's responsibility to ensure through proper construction techniques that the installation does not cause surfacing of sewage and/or storm water runoff into neighboring properties.**
7. **The septic tank contractor must be registered by HRS, as required by Chapter 489 Florida Statutes and/or be properly licensed by the appropriate agencies. The permittee shall provide the contractor with a copy of this permit prior to the beginning of construction. The contractor shall request an inspection and obtain an approval of the installation prior to covering the septic tank/drainfield and prior to placing the system into operation.**
8. **This permit does not obviate the requirement to obtain any other local permits necessary for installation.**